

CONSTRUCTION NOTES:

REPLACE EXISTING SIDEWALK WITH GRAY-COLORED CONCRETE SIDEWALK PER DETAIL 5 ON SHEET 6. MATCH EXISTING SIDEWALK COLOR, WIDTH, AND SCORING PATTERN. SIDEWALK TO BE REPLACED IN THE LIMITS SHOWN BETWEEN EXISTING EXPANSION JOINTS. IN ALL IDENTIFIED SIDEWALK REPLACEMENT AREAS, WITH THE EXCEPTION OF THE CONSTRUCTION ENTRANCE AREA, REPLACE SIDEWALK IN ADVANCE OF CONSTRUCTING INTERIOR SIDEWALKS TO PROVIDE FOR ADEQUATE PEDESTRIAN ACCESS. REFER TO BID ITEM "TEMPORARY TRAFFIC CONTROL".

CONSTRUCT INTERIOR CONCRETE SIDEWALKS PER DETAIL 5 ON SHEET 6. GRADE, SCORE, AND JOINT PER GRADING PLAN AND GRADING DETAILS ON SHEETS 8 AND 9 AND PER DETAIL 4 ON SHEET 6.

CONSTRUCT EXPOSED AGGREGATE CONCRETE PAVEMENT PER DETAIL 6 ON SHEET 6. PROVIDE EXPANSION JOINTS BETWEEN PERIMETER OF CONCRETE PAVEMENT AND CONCRETE SIDEWALKS. PRESERVE AND PROTECT EXISTING SQUIRREL SCULPTURE AND SHAY LOCOMOTIVE EXHIBITS DURING CONSTRUCTION.

(4) INSTALL PARK BENCH ON CONCRETE PAVEMENT SLAB PER DETAIL 1 ON SHEET 6 AND SITE DETAIL, THIS SHEET. BENCHES ARE TO FACE SIDEWALKS.

INSTALL INTERPRETIVE PANEL IN CONCRETE PAVEMENT PER DETAIL 3 ON SHEET 6 AND SITE DETAIL, THIS SHEET.

INSTALL DONOR PLAQUE IN CONCRETE PAVEMENT PER DETAIL ? ON SHEET 6 AND SITE DETAIL, THIS SHEET.

INSTALL TRASH RECEPTACLE PER DETAIL 2 ON SHEET 6 AND SITE DETAIL, THIS SHEET.

(8) INSTALL PARK LIGHT PER ILLUMINATION PLAN ON SHEET 10.

LOCATION OF EXISTING IRRIGATION SYSTEM SHOWN IS APPROXIMATE AND TO BE VERIFIED IN THE FIELD PRIOR TO START OF CONSTRUCTION. EXISTING SPRAY HEADS WITHIN AREAS DISTUBBED BY CONSTRUCTION ARE TO BE SALVAGED AND RETURNED TO CITY PARKS DEPARTMENT. LOCATION OF NEW IRRIGATION LATERALS, SPRAY HEADS, AND OTHER COMPONENTS TO BE ADJUSTED AS REQUIRED TO PROVIDE ADEQUATE COVERAGE OF LANDSCAPED AREAS AND TO PREVENT OVERSPRAY ONTO ADJACENT HARDSCAPE AND PARK FURNISHINGS. CONTRACTOR IS RESPONSIBLE TO SIZE IRRIGATION LATERALS PER ACCUMULATED FLOW AND LATERAL SIZE SHALL BE ADJUSTED IN FIELD TO PROVIDE ADEQUATE PRESSURE AT SPRAY HEADS. COORDINATE EXACT LOCATION OF NEW IRRIGATION SYSTEM COMPONENTS WITH PARKS DEPARTMENT, 360-442-5421, PRIOR TO INSTALLATION.

TYPICAL. INSTALL IRRIGATION LINES IN SLEEVE PER DETAIL 1 ON SHEET 7 AT ALL LOCATIONS WHERE NEW OR REPLACED IRRIGATION LINES ARE LOCATED BENEATH CONCRETE SIDEWALKS OR ISLANDS. ALL EXISTING IRRIGATION LINES RUNNING BENEATH PROPOSED CONCRETE PAVEMENT ARE TO BE REPLACED A MINIMUM OF 6-INCHES TO EITHER SIDE OF LIMITS OF CONCRETE PAVEMENT TO ALLOW FOR INSTALLATION OF IRRIGATION SLEEVE. IRRIGATION SLEEVE TO COUPLING BETWEEN NEW AND EXISTING SECTIONS OF IRRIGATION LINE.

TYPICAL. AT ALL LOCATIONS WITH NEW OR REPLACED IRRIGATION LINES: TRENCH AND BACKFILL PER DETAIL 2 ON SHEET 7. RESTORE ALL DISTURBED LANDSCAPED SURFACES PER CONSTRUCTION NOTES 11 AND 12, THIS SHEET.

SALVAGE, RELOCATE, AND PROTECT EXISTING TREE PER SHEET 3

INTERCEPT EXISTING 1-1/4" IRRIGATION LINE AND INSTALL 1" SCH 40 PVC LATERAL WITH SPRAY HEAD PER DETAIL 3 ON SHEET 7.

INTERCEPT EXISTING 2" IRRIGATION LINE AND INSTALL 1" SCH 40 PVC LATERAL WITH SPRAY HEAD PER DETAIL 3 ON SHEET 7.

INTERCEPT EXISTING 1" IRRIGATION LINE AND INSTALL 3/4" SCH 40 PVC LATERAL WITH SPRAY HEAD PER DETAIL 3 ON SHEET 7. EXTEND EXISTING 1" IRRIGATION LINE TO AT LEAST 1-FOOT PAST PROPOSED CONCRETE SIDEWALK AND CAP END OF LINE.

(16) INTERCEPT EXISTING 2" IRRIGATION LINE AND INSTALL 1" SCH 40 PVC LATERAL WITH SPRAY HEAD PER DETAIL 3 ON SHEET 7.

 (17) RESTORE ALL AREAS OF DISTURBED LAWN PER DETAILS 4 OR 5 ON SHEET 7. WHERE FILL IS REQUIRED TO MEET PROPOSED GRADES, FILL TO PROPOSED GRADE, COMPACT, AND RESTORE DISTURBED LAWN PER DETAIL 5 ON SHEET 7.
(18) RESTORE ALL AREAS OF DISTURBED BARK MULCH PER DETAIL 6 ON SHEET 7.

LEGEND

ING CONDITIONS		PROPOSED CON	PROPOSED CONDITIONS	
AVEMENT		CONCRETE SIDEWALK		Cit
DEWALK		CONCRETE PAVEMENT		
EMENT		EXPOSED AGGREGATE CONCRETE PAVEMENT		5
) A		DECIDUOUS TREE W/ MULCH		
REE	$\langle \cdot \rangle$	PARK BENCH		<u>SCA</u> нс
TREE	<u>N</u>	INTERPRETIVE PANEL/ DONOR PLAQUE		AS N VE
		TRASH RECEPTACLE	0	AS N
SHRUB	\square	PARK LIGHT	—	SHEE
		IRRIGATION LINE	— IRR ——	05 0
LINE	— IRR —	IRR. SPRAY HEAD	٠	PRO
EAD	Ó.			NUM
VALVE	•			XX

