



NOTICE OF LIQUOR LICENSE APPLICATION

WASHINGTON STATE LIQUOR AND CANNABIS BOARD

License Division - 3000 Pacific, P.O. Box 43075

Olympia, WA 98504-3075

Customer Service: (360) 664-1600

Fax: (360) 753-2710

Website: <http://lcb.wa.gov>

TO: CITY CLERK OF LONGVIEW
RE: NEW APPLICATION

RETURN TO: localauthority@sp.lcb.wa.gov

DATE: 10/03/16

UBI: 604-022-965-001-0001

License: 355422 - 1K County: 08

Tradename: BLEU BISON

Loc Addr: 1405 17TH AVE
LONGVIEW WA 98632-2945

Mail Addr: 1416 14TH AVE
LONGVIEW WA 98632-3704

Phone No.: 360-703-6385 VREANNA ALLEMAN

APPLICANTS:

FIVE STAR LONGVIEW LLC

YOUNG, MICHAEL
1959-05-04

YOUNG, BRENDA
1967-02-17

NELSON, KATHLEEN
1960-12-07

ALLEMAN, BREANNA
1983-05-25

SOWERS-ALLEMAN, ELLIOTT MIKHE
(Spouse) 1982-05-22

Privileges Applied For:

SPIRITS/BR/WN REST LOUNGE +

As required by RCW 66.24.010(8), the Liquor and Cannabis Board is notifying you that the above has applied for a liquor license. You have 20 days from the date of this notice to give your input on this application. If we do not receive this notice back within 20 days, we will assume you have no objection to the issuance of the license. If you need additional time to respond, you must submit a written request for an extension of up to 20 days, with the reason(s) you need more time. If you **need information on SSN, contact our CHRI desk at (360) 664-1724.**

- | | YES | NO |
|---|--------------------------|--------------------------|
| 1. Do you approve of applicant? | ☐ | ☐ |
| 2. Do you approve of location? | ☐ | ☐ |
| 3. If you disapprove and the Board contemplates issuing a license, do you wish to request an adjudicative hearing before final action is taken? | ☐ | ☐ |
| (See WAC 314-09-010 for information about this process) | | |
| 4. If you disapprove, per RCW 66.24.010(8) you MUST attach a letter to the Board detailing the reason(s) for the objection and a statement of all facts on which your objection(s) are based. | | |

DATE

SIGNATURE OF MAYOR,CITY MANAGER,COUNTY COMMISSIONERS OR DESIGNEE