

Legislation Details

File #:	16-4530	Version:	1	Name:	CA 2016-3 APPLICATION TO REPAIR THE NUTTY NARROWS BRIDGE
Type:	Agenda Item	Status:		Status:	New Business
File created:	9/22/2016	In control:		In control:	Historic Preservation Commission
On agenda:	9/26/2016	Final action:		Final action:	

Title: CA 2016-3 APPLICATION TO REPAIR THE NUTTY NARROWS BRIDGE
Representatives of the Sandbaggers organization have reported the bridge 'deck', a used fire hose has worn out and needs to be replaced. The applicants report the hose is not a durable material and propose to change the material to durable rubber belting or treat a fire hose if installed again. Recommended action: Repair the bridge with a firehose as has been used in the past. Because the uniqueness and significance of the structure is related to the resourceful use of a 'local' material, and the material is still available, the same material should be used. If a treatment is applied, the treatment should not affect the exterior appearance of the firehose material. Consider encouraging use of a paint or dye to preserve the yellow color of the fire hose if a treatment/preservation method is allowed.

Sponsors:**Indexes:****Code sections:**

Attachments: 1. CA 2016-3 Nutty Narrows Bridge deck application, 2. Significant criteria and features, 3. Historic Inventory Report Nutty Narrows Bridge, 4. National Historic register Nomination Form

Date	Ver.	Action By	Action	Result
9/26/2016	1	Historic Preservation Commission		